

Job Name:	
Tag#	



Submittal Data Sheet	5MXS48TVJU
5 Port, 4-Ton Outdoor Heat Pump	



Efficiency				
	SEER	EER	HSPF	COP
Non-Ducted	20.2	10.5	11.1	3.9
Ducted	15.3	8.6	8.6	3.2
Mixed	17.75	9.55	9.85	3.5

Performance	
Cooling (Btu/hr)	
Rated	47,000
Operating Range	14°F – 115°F
Rated Cooling Conditions:	
	Indoor: 80°F DB/67°F WB Outdoor: 95°F DB/75°F WB
Heating (Btu/hr)	
Rated	48,500
Operating Range	5°F – 60°F
Rated Heating Conditions:	
	Indoor: 70°F DB/60°F WB Outdoor: 47°F DB/43°F WB

Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical		
	208/60/1	230/60/1
System MCA	33.2	33.2
System MFA	35	35
Compressor RLA	27	27
Outdoor fan motor FLA	1.15	1.15
Outdoor fan motor W	84	84

MFA: Max. fuse amps **MCA:** Min. circuit amps (A) **FLA:** Full load amps (A)
RLA: Rated load amps (A) **W:** Fan motor rated output (W)


Outdoor Specifications				
Compressor	Hermetically Sealed Swing Type			
Refrigerant	R-410A			
Factory Charge (Lbs)	8.60			
Refrigerant Oil	PVE (FVC50K)			
Airflow Rate (cfm)	Cooling		Heating	
	H	3,684	H	3,356
	M	3,029	M	3,138
	L	2,756	L	1,500
Sound Power Level (dBA)	52 / 55			
Dimensions (H x W x D) (in)	34-1/4 x 43-5/16 x 18-1/8			
Weight (Lbs)	216			

Piping	
Liquid (in)	¼ x 5
Gas (in)	3/8 x 1,
	½ x 2, 5/8 x 2
Drain (in)	1
Max. System Piping Length (ft)	262
Max. Interunit Piping Length (ft)	98
Max. Height Difference – IDU to ODU (ft)	49.25
Max. Height Difference – IDU to IDU (ft)	24.625
Chargeless (ft)	131.6
Additional Charge of Refrigerant (oz/ft)	.21

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Dimensional Data



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)



Included	Part Number	Description
	KEH082A41	Drain Pan Heater
	KPW082A41	Air Adjustment Grille
	KKG082A41	Back protection wire net



Non- Ducted, 60 Hz, 208-230V

Combination of indoor unit	Cooling Capacity of each indoor unit					Heating Capacity of each indoor unit	
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
07	7.00	—	—	—	—	7.00	3.30 ~ 9.30
	8.90	—	—	—	—	8.90	3.30 ~ 14.00
09	9.00	—	—	—	—	9.00	3.40 ~ 12.00
	11.50	—	—	—	—	11.50	3.40 ~ 18.10
12	12.00	—	—	—	—	12.00	4.20 ~ 16.00
	15.30	—	—	—	—	15.30	3.50 ~ 24.10
15	15.00	—	—	—	—	15.00	5.00 ~ 20.00
	19.20	—	—	—	—	19.20	3.60 ~ 30.10
18	18.00	—	—	—	—	18.00	5.00 ~ 24.00
	23.00	—	—	—	—	23.00	3.60 ~ 36.10
24	24.00	—	—	—	—	24.00	6.20 ~ 29.50
	27.40	—	—	—	—	27.40	4.70 ~ 42.20
07+07	7.00	7.00	—	—	—	14.00	5.00 ~ 18.70
	8.95	8.95	—	—	—	17.90	3.60 ~ 28.10
07+09	7.00	9.00	—	—	—	16.00	5.00 ~ 21.30
	8.93	11.48	—	—	—	20.40	3.60 ~ 32.10
07+12	7.00	12.00	—	—	—	19.00	5.00 ~ 24.90
	8.73	14.97	—	—	—	23.70	3.60 ~ 37.10
07+15	7.00	15.00	—	—	—	22.00	6.50 ~ 27.70
	8.24	17.66	—	—	—	25.90	4.80 ~ 40.20
07+18	7.00	18.00	—	—	—	25.00	7.90 ~ 30.40
	7.87	20.23	—	—	—	28.10	6.50 ~ 43.30
07+24	7.00	24.00	—	—	—	31.00	8.00 ~ 35.90
	7.32	25.08	—	—	—	32.40	6.50 ~ 49.40
09+09	9.00	9.00	—	—	—	18.00	5.00 ~ 24.00
	11.50	11.50	—	—	—	23.00	3.60 ~ 36.10
09+12	9.00	12.00	—	—	—	21.00	5.10 ~ 26.80
	10.80	14.40	—	—	—	25.20	3.70 ~ 39.20
09+15	9.00	15.00	—	—	—	24.00	7.90 ~ 29.50
	10.28	17.13	—	—	—	27.40	6.50 ~ 42.20
09+18	9.00	18.00	—	—	—	27.00	7.90 ~ 32.30
	9.83	19.67	—	—	—	29.50	6.50 ~ 45.30
09+24	9.00	24.00	—	—	—	33.00	8.00 ~ 37.80
	9.25	24.65	—	—	—	33.90	6.50 ~ 51.40
12+12	12.00	12.00	—	—	—	24.00	6.10 ~ 29.50
	13.70	13.70	—	—	—	27.40	4.80 ~ 42.20
12+15	12.00	15.00	—	—	—	27.00	7.90 ~ 32.30
	13.11	16.39	—	—	—	29.50	6.50 ~ 45.30
12+18	12.00	18.00	—	—	—	30.00	7.90 ~ 35.00
	12.68	19.02	—	—	—	31.70	6.50 ~ 48.40
12+24	12.00	24.00	—	—	—	36.00	8.10 ~ 40.50
	12.20	24.40	—	—	—	36.60	6.50 ~ 54.50
15+15	15.00	15.00	—	—	—	30.00	8.20 ~ 35.00
	15.85	15.85	—	—	—	31.70	6.60 ~ 48.40
15+18	15.00	18.00	—	—	—	33.00	8.20 ~ 37.80
	15.41	18.49	—	—	—	33.90	6.60 ~ 51.40
15+24	15.00	24.00	—	—	—	39.00	8.30 ~ 43.10
	15.23	24.37	—	—	—	39.60	6.60 ~ 55.40
18+18	18.00	18.00	—	—	—	36.00	8.20 ~ 40.50
	18.30	18.30	—	—	—	36.60	6.60 ~ 54.50
18+24	18.00	24.00	—	—	—	42.00	8.30 ~ 45.60
	18.26	24.34	—	—	—	42.60	6.60 ~ 56.30
24+24	23.50	23.50	—	—	—	47.00	8.30 ~ 48.20
	24.25	24.25	—	—	—	48.50	6.60 ~ 58.00
07+07+07	7.00	7.00	7.00	—	—	21.00	5.50 ~ 26.80
	8.40	8.40	8.40	—	—	25.20	3.70 ~ 39.20
07+07+09	7.00	7.00	9.00	—	—	23.00	6.50 ~ 28.60
	8.10	8.10	10.41	—	—	26.60	4.90 ~ 41.20
07+07+12	7.00	7.00	12.00	—	—	26.00	7.90 ~ 31.30
	7.75	7.75	13.29	—	—	28.80	6.50 ~ 44.30
07+07+15	7.00	7.00	15.00	—	—	29.00	8.20 ~ 34.10
	7.48	7.48	16.03	—	—	31.00	6.60 ~ 47.30
07+07+18	7.00	7.00	18.00	—	—	32.00	8.20 ~ 36.80
	7.26	7.26	18.68	—	—	33.20	6.60 ~ 50.40
07+07+24	7.00	7.00	24.00	—	—	38.00	8.30 ~ 42.20
	7.11	7.11	24.38	—	—	38.60	6.60 ~ 55.10
07+09+09	7.00	9.00	9.00	—	—	25.00	6.50 ~ 30.40
	7.87	10.12	10.12	—	—	28.10	4.90 ~ 43.30
07+09+12	7.00	9.00	12.00	—	—	28.00	8.00 ~ 33.20
	7.58	9.74	12.99	—	—	30.30	6.50 ~ 46.30

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					Heating Capacity of each indoor unit	
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
07+09+15	7.00	9.00	15.00	—	—	31.00	8.20 ~ 35.90
	7.32	9.41	15.68	—	—	32.40	6.60 ~ 49.40
07+09+18	7.00	9.00	18.00	—	—	34.00	8.20 ~ 38.70
	7.12	9.16	18.32	—	—	34.60	6.60 ~ 52.50
07+09+24	7.00	9.00	24.00	—	—	40.00	8.30 ~ 43.90
	7.11	9.14	24.36	—	—	40.60	6.60 ~ 55.70
07+12+12	7.00	12.00	12.00	—	—	31.00	8.00 ~ 35.90
	7.32	12.54	12.54	—	—	32.40	6.50 ~ 49.40
07+12+15	7.00	12.00	15.00	—	—	34.00	8.20 ~ 38.70
	7.12	12.21	15.26	—	—	34.60	6.60 ~ 52.50
07+12+18	7.00	12.00	18.00	—	—	37.00	8.20 ~ 41.40
	7.11	12.19	18.29	—	—	37.60	6.60 ~ 54.80
07+12+24	7.00	12.00	24.00	—	—	43.00	8.30 ~ 46.50
	7.08	12.14	24.28	—	—	43.50	6.60 ~ 56.50
07+15+15	7.00	15.00	15.00	—	—	37.00	8.30 ~ 41.40
	7.11	15.24	15.24	—	—	37.60	6.70 ~ 54.80
07+15+18	7.00	15.00	18.00	—	—	40.00	8.30 ~ 43.90
	7.11	15.23	18.27	—	—	40.60	6.70 ~ 55.70
07+15+24	7.00	15.00	24.00	—	—	46.00	8.30 ~ 48.20
	7.08	15.16	24.26	—	—	46.50	6.70 ~ 57.40
07+18+18	7.00	18.00	18.00	—	—	43.00	8.30 ~ 46.50
	7.08	18.21	18.21	—	—	43.50	6.70 ~ 56.50
07+18+24	6.71	17.27	23.02	—	—	47.00	8.30 ~ 48.20
	6.93	17.82	23.76	—	—	48.50	6.70 ~ 58.00
07+24+24	5.98	20.51	20.51	—	—	47.00	8.30 ~ 48.20
	6.17	21.16	21.16	—	—	48.50	6.70 ~ 58.00
09+09+09	9.00	9.00	9.00	—	—	27.00	8.00 ~ 32.30
	9.83	9.83	9.83	—	—	29.50	6.50 ~ 45.30
09+09+12	9.00	9.00	12.00	—	—	30.00	8.00 ~ 35.00
	9.51	9.51	12.68	—	—	31.70	6.50 ~ 48.40
09+09+15	9.00	9.00	15.00	—	—	33.00	8.20 ~ 37.80
	9.25	9.25	15.41	—	—	33.90	6.60 ~ 51.40
09+09+18	9.00	9.00	18.00	—	—	36.00	8.20 ~ 40.50
	9.15	9.15	18.30	—	—	36.60	6.60 ~ 54.50
09+09+24	9.00	9.00	24.00	—	—	42.00	8.30 ~ 45.60
	9.13	9.13	24.34	—	—	42.60	6.60 ~ 56.30
09+12+12	9.00	12.00	12.00	—	—	33.00	8.00 ~ 37.80
	9.25	12.33	12.33	—	—	33.90	6.60 ~ 51.40
09+12+15	9.00	12.00	15.00	—	—	36.00	8.20 ~ 40.50
	9.15	12.20	15.25	—	—	36.60	6.60 ~ 54.50
09+12+18	9.00	12.00	18.00	—	—	39.00	8.20 ~ 43.10
	9.14	12.18	18.28	—	—	39.60	6.60 ~ 55.40
09+12+24	9.00	12.00	24.00	—	—	45.00	8.30 ~ 48.20
	9.10	12.13	24.27	—	—	45.50	6.60 ~ 57.10
09+15+15	9.00	15.00	15.00	—	—	39.00	8.30 ~ 43.10
	9.14	15.23	15.23	—	—	39.60	6.70 ~ 55.40
09+15+18	9.00	15.00	18.00	—	—	42.00	8.30 ~ 45.60
	9.13	15.21	18.26	—	—	42.60	6.70 ~ 56.30
09+15+24	8.81	14.69	23.50	—	—	47.00	8.30 ~ 48.20
	9.09	15.16	24.25	—	—	48.50	6.70 ~ 58.00
09+18+18	9.00	18.00	18.00	—	—	45.00	8.30 ~ 48.20
	9.10	18.20	18.20	—	—	45.50	6.70 ~ 57.10
09+18+24	8.29	16.59	22.12	—	—	47.00	8.30 ~ 48.20
	8.56	17.12	22.82	—	—	48.50	6.70 ~ 58.00
09+24+24	7.42	19.79	19.79	—	—	47.00	8.30 ~ 48.20
	7.66	20.42	20.42	—	—	48.50	6.70 ~ 58.00
12+12+12	12.00	12.00	12.00	—	—	36.00	8.00 ~ 40.50
	12.20	12.20	12.20	—	—	36.60	6.60 ~ 54.50
12+12+15	12.00	12.00	15.00	—	—	39.00	8.30 ~ 43.10
	12.18	12.18	15.23	—	—	39.60	6.60 ~ 55.40
12+12+18	12.00	12.00	18.00	—	—	42.00	8.30 ~ 45.60
	12.17	12.17	18.26	—	—	42.60	6.60 ~ 56.30
12+12+24	11.75	11.75	23.50	—	—	47.00	8.30 ~ 48.20
	12.13	12.13	24.25	—	—	48.50	6.60 ~ 58.00
12+15+15	12.00	15.00	15.00	—	—	42.00	8.30 ~ 45.60
	12.17	15.21	15.21	—	—	42.60	6.70 ~ 56.30
12+15+18	12.00	15.00	18.00	—	—	45.00	8.30 ~ 48.20
	12.13	15.17	18.20	—	—	45.50	6.70 ~ 57.10
12+15+24	11.06	13.82	22.12	—	—	47.00	8.30 ~ 48.20
	11.41	14.26	22.82	—	—	48.50	6.70 ~ 58.00

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					Heating Capacity of each indoor unit	
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
12+18+18	11.75	17.63	17.63	—	—	47.00	8.30 ~ 48.20
	12.13	18.19	18.19	—	—	48.50	6.70 ~ 58.00
12+18+24	10.44	15.67	20.89	—	—	47.00	8.30 ~ 48.20
	10.78	16.17	21.56	—	—	48.50	6.70 ~ 58.00
15+15+15	15.00	15.00	15.00	—	—	45.00	8.20 ~ 48.20
	15.17	15.17	15.17	—	—	45.50	6.70 ~ 57.10
15+15+18	14.69	14.69	17.63	—	—	47.00	8.20 ~ 48.20
	15.16	15.16	18.19	—	—	48.50	6.70 ~ 58.00
15+15+24	13.06	13.06	20.89	—	—	47.00	8.10 ~ 48.20
	13.47	13.47	21.56	—	—	48.50	6.70 ~ 58.00
15+18+18	13.82	16.59	16.59	—	—	47.00	8.20 ~ 48.20
	14.26	17.12	17.12	—	—	48.50	6.70 ~ 58.00
15+18+24	12.37	14.84	19.79	—	—	47.00	8.10 ~ 48.20
	12.76	15.32	20.42	—	—	48.50	6.70 ~ 58.00
18+18+18	15.67	15.67	15.67	—	—	47.00	8.20 ~ 48.20
	16.17	16.17	16.17	—	—	48.50	6.70 ~ 58.00
07+07+07+07	7.00	7.00	7.00	7.00	—	28.00	8.20 ~ 33.20
	7.58	7.58	7.58	7.58	—	30.30	6.60 ~ 46.30
07+07+07+09	7.00	7.00	7.00	9.00	—	30.00	8.20 ~ 35.00
	7.40	7.40	7.40	9.51	—	31.70	6.60 ~ 48.40
07+07+07+12	7.00	7.00	7.00	12.00	—	33.00	8.20 ~ 37.80
	7.19	7.19	7.19	12.33	—	33.90	6.60 ~ 51.40
07+07+07+15	7.00	7.00	7.00	15.00	—	36.00	8.30 ~ 40.50
	7.12	7.12	7.12	15.25	—	36.60	6.70 ~ 54.50
07+07+07+18	7.00	7.00	7.00	18.00	—	39.00	8.30 ~ 43.10
	7.11	7.11	7.11	18.28	—	39.60	6.70 ~ 55.40
07+07+07+24	7.00	7.00	7.00	24.00	—	45.00	8.30 ~ 48.20
	7.08	7.08	7.08	24.27	—	45.50	6.70 ~ 57.10
07+07+09+09	7.00	7.00	9.00	9.00	—	32.00	8.20 ~ 36.80
	7.26	7.26	9.34	9.34	—	33.20	6.60 ~ 50.40
07+07+09+12	7.00	7.00	9.00	12.00	—	35.00	8.20 ~ 39.60
	7.12	7.12	9.15	12.21	—	35.60	6.60 ~ 53.50
07+07+09+15	7.00	7.00	9.00	15.00	—	38.00	8.30 ~ 42.20
	7.11	7.11	9.14	15.24	—	38.60	6.70 ~ 55.10
07+07+09+18	7.00	7.00	9.00	18.00	—	41.00	8.30 ~ 44.80
	7.10	7.10	9.13	18.26	—	41.60	6.70 ~ 56.00
07+07+09+24	7.00	7.00	9.00	24.00	—	47.00	8.30 ~ 48.20
	7.07	7.07	9.10	24.26	—	47.50	6.70 ~ 57.70
07+07+12+12	7.00	7.00	12.00	12.00	—	38.00	8.30 ~ 42.20
	7.11	7.11	12.19	12.19	—	38.60	6.60 ~ 55.10
07+07+12+15	7.00	7.00	12.00	15.00	—	41.00	8.30 ~ 44.80
	7.10	7.10	12.18	15.22	—	41.60	6.70 ~ 56.00
07+07+12+18	7.00	7.00	12.00	18.00	—	44.00	8.30 ~ 47.30
	7.08	7.08	12.14	18.20	—	44.50	6.70 ~ 56.80
07+07+12+24	6.58	6.58	11.28	22.56	—	47.00	8.30 ~ 48.20
	6.79	6.79	11.64	23.28	—	48.50	6.70 ~ 58.00
07+07+15+15	7.00	7.00	15.00	15.00	—	44.00	8.20 ~ 47.30
	7.08	7.08	15.17	15.17	—	44.50	6.70 ~ 56.80
07+07+15+18	7.00	7.00	15.00	18.00	—	47.00	8.20 ~ 48.20
	7.07	7.07	15.16	18.19	—	47.50	6.70 ~ 57.70
07+07+15+24	6.21	6.21	13.30	21.28	—	47.00	8.10 ~ 48.20
	6.41	6.41	13.73	21.96	—	48.50	6.70 ~ 58.00
07+07+18+18	6.58	6.58	16.92	16.92	—	47.00	8.20 ~ 48.20
	6.79	6.79	17.46	17.46	—	48.50	6.70 ~ 58.00
07+07+18+24	5.88	5.88	15.11	20.14	—	47.00	8.10 ~ 48.20
	6.06	6.06	15.59	20.79	—	48.50	6.70 ~ 58.00
07+09+09+09	7.00	9.00	9.00	9.00	—	34.00	8.20 ~ 38.70
	7.12	9.16	9.16	9.16	—	34.60	6.60 ~ 52.50
07+09+09+12	7.00	9.00	9.00	12.00	—	37.00	8.30 ~ 41.40
	7.11	9.15	9.15	12.19	—	37.60	6.60 ~ 54.80
07+09+09+15	7.00	9.00	9.00	15.00	—	40.00	8.30 ~ 43.90
	7.11	9.14	9.14	15.23	—	40.60	6.70 ~ 55.70
07+09+09+18	7.00	9.00	9.00	18.00	—	43.00	8.30 ~ 46.50
	7.08	9.10	9.10	18.21	—	43.50	6.70 ~ 56.50
07+09+09+24	6.71	8.63	8.63	23.02	—	47.00	8.30 ~ 48.20
	6.93	8.91	8.91	23.76	—	48.50	6.70 ~ 58.00
07+09+12+12	7.00	9.00	12.00	12.00	—	40.00	8.30 ~ 43.90
	7.11	9.14	12.18	12.18	—	40.60	6.60 ~ 55.70
07+09+12+15	7.00	9.00	12.00	15.00	—	43.00	8.30 ~ 46.50
	7.08	9.10	12.14	15.17	—	43.50	6.70 ~ 56.50

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					Heating Capacity of each indoor unit	
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
07+09+12+18	7.00	9.00	12.00	18.00	—	46.00	8.30 ~ 48.20
	7.08	9.10	12.13	18.20	—	46.50	6.70 ~ 57.40
07+09+12+24	6.33	8.13	10.85	21.69	—	47.00	8.30 ~ 48.20
	6.53	8.39	11.19	22.38	—	48.50	6.70 ~ 58.00
07+09+15+15	7.00	9.00	15.00	15.00	—	46.00	8.20 ~ 48.20
	7.08	9.10	15.16	15.16	—	46.50	6.70 ~ 57.40
07+09+15+18	6.71	8.63	14.39	17.27	—	47.00	8.20 ~ 48.20
	6.93	8.91	14.85	17.82	—	48.50	6.70 ~ 58.00
07+09+15+24	5.98	7.69	12.82	20.51	—	47.00	8.10 ~ 48.20
	6.17	7.94	13.23	21.16	—	48.50	6.80 ~ 58.00
07+09+18+18	6.33	8.13	16.27	16.27	—	47.00	8.20 ~ 48.20
	6.53	8.39	16.79	16.79	—	48.50	6.70 ~ 58.00
07+09+18+24	5.67	7.29	14.59	19.45	—	47.00	8.10 ~ 48.20
	5.85	7.53	15.05	20.07	—	48.50	6.80 ~ 58.00
07+12+12+12	7.00	12.00	12.00	12.00	—	43.00	8.30 ~ 46.50
	7.08	12.14	12.14	12.14	—	43.50	6.70 ~ 56.50
07+12+12+15	7.00	12.00	12.00	15.00	—	46.00	8.30 ~ 48.20
	7.08	12.13	12.13	15.16	—	46.50	6.70 ~ 57.40
07+12+12+18	6.71	11.51	11.51	17.27	—	47.00	8.30 ~ 48.20
	6.93	11.88	11.88	17.82	—	48.50	6.70 ~ 58.00
07+12+12+24	5.98	10.25	10.25	20.51	—	47.00	8.30 ~ 48.20
	6.17	10.58	10.58	21.16	—	48.50	6.70 ~ 58.00
07+12+15+15	6.71	11.51	14.39	14.39	—	47.00	8.20 ~ 48.20
	6.93	11.88	14.85	14.85	—	48.50	6.70 ~ 58.00
07+12+15+18	6.33	10.85	13.56	16.27	—	47.00	8.20 ~ 48.20
	6.53	11.19	13.99	16.79	—	48.50	6.70 ~ 58.00
07+12+15+24	5.67	9.72	12.16	19.45	—	47.00	8.10 ~ 48.20
	5.85	10.03	12.54	20.07	—	48.50	6.80 ~ 58.00
07+12+18+18	5.98	10.25	15.38	15.38	—	47.00	8.20 ~ 48.20
	6.17	10.58	15.87	15.87	—	48.50	6.80 ~ 58.00
07+15+15+15	6.33	13.56	13.56	13.56	—	47.00	7.90 ~ 48.20
	6.53	13.99	13.99	13.99	—	48.50	6.80 ~ 58.00
07+15+15+18	5.98	12.82	12.82	15.38	—	47.00	7.90 ~ 48.20
	6.17	13.23	13.23	15.87	—	48.50	6.80 ~ 58.00
07+15+18+18	5.67	12.16	14.59	14.59	—	47.00	7.90 ~ 48.20
	5.85	12.54	15.05	15.05	—	48.50	6.80 ~ 58.00
09+09+09+09	9.00	9.00	9.00	9.00	—	36.00	8.30 ~ 40.50
	9.15	9.15	9.15	9.15	—	36.60	6.60 ~ 54.50
09+09+09+12	9.00	9.00	9.00	12.00	—	39.00	8.30 ~ 43.10
	9.14	9.14	9.14	12.18	—	39.60	6.60 ~ 55.40
09+09+09+15	9.00	9.00	9.00	15.00	—	42.00	8.30 ~ 45.60
	9.13	9.13	9.13	15.21	—	42.60	6.70 ~ 56.30
09+09+09+18	9.00	9.00	9.00	18.00	—	45.00	8.30 ~ 48.20
	9.10	9.10	9.10	18.20	—	45.50	6.70 ~ 57.10
09+09+09+24	8.29	8.29	8.29	22.12	—	47.00	8.30 ~ 48.20
	8.56	8.56	8.56	22.82	—	48.50	6.70 ~ 58.00
09+09+12+12	9.00	9.00	12.00	12.00	—	42.00	8.30 ~ 45.60
	9.13	9.13	12.17	12.17	—	42.60	6.70 ~ 56.30
09+09+12+15	9.00	9.00	12.00	15.00	—	45.00	8.30 ~ 48.20
	9.10	9.10	12.13	15.17	—	45.50	6.70 ~ 57.10
09+09+12+18	8.81	8.81	11.75	17.63	—	47.00	8.30 ~ 48.20
	9.09	9.09	12.13	18.19	—	48.50	6.70 ~ 58.00
09+09+12+24	7.83	7.83	10.44	20.89	—	47.00	8.30 ~ 48.20
	8.08	8.08	10.78	21.56	—	48.50	6.70 ~ 58.00
09+09+15+15	8.81	8.81	14.69	14.69	—	47.00	8.20 ~ 48.20
	9.09	9.09	15.16	15.16	—	48.50	6.70 ~ 58.00
09+09+15+18	8.29	8.29	13.82	16.59	—	47.00	8.20 ~ 48.20
	8.56	8.56	14.26	17.12	—	48.50	6.70 ~ 58.00
09+09+15+24	7.42	7.42	12.37	19.79	—	47.00	8.10 ~ 48.20
	7.66	7.66	12.76	20.42	—	48.50	6.80 ~ 58.00
09+09+18+18	7.83	7.83	15.67	15.67	—	47.00	8.20 ~ 48.20
	8.08	8.08	16.17	16.17	—	48.50	6.80 ~ 58.00
09+12+12+12	9.00	12.00	12.00	12.00	—	45.00	8.30 ~ 48.20
	9.10	12.13	12.13	12.13	—	45.50	6.70 ~ 57.10
09+12+12+15	8.81	11.75	11.75	14.69	—	47.00	8.30 ~ 48.20
	9.09	12.13	12.13	15.16	—	48.50	6.70 ~ 58.00
09+12+12+18	8.29	11.06	11.06	16.59	—	47.00	8.30 ~ 48.20
	8.56	11.41	11.41	17.12	—	48.50	6.70 ~ 58.00
09+12+12+24	7.42	9.89	9.89	19.79	—	47.00	8.30 ~ 48.20
	7.66	10.21	10.21	20.42	—	48.50	6.70 ~ 58.00

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					Heating Capacity of each indoor unit	
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
09+12+15+15	8.29	11.06	13.82	13.82	—	47.00	8.20 ~ 48.20
	8.56	11.41	14.26	14.26	—	48.50	6.80 ~ 58.00
09+12+15+18	7.83	10.44	13.06	15.67	—	47.00	8.20 ~ 48.20
	8.08	10.78	13.47	16.17	—	48.50	6.80 ~ 58.00
09+12+18+18	7.42	9.89	14.84	14.84	—	47.00	8.20 ~ 48.20
	7.66	10.21	15.32	15.32	—	48.50	6.80 ~ 58.00
09+15+15+15	7.83	13.06	13.06	13.06	—	47.00	7.90 ~ 48.20
	8.08	13.47	13.47	13.47	—	48.50	6.80 ~ 58.00
09+15+15+18	7.42	12.37	12.37	14.84	—	47.00	7.90 ~ 48.20
	7.66	12.76	12.76	15.32	—	48.50	6.80 ~ 58.00
12+12+12+12	11.75	11.75	11.75	11.75	—	47.00	8.30 ~ 48.20
	12.13	12.13	12.13	12.13	—	48.50	6.70 ~ 58.00
12+12+12+15	11.06	11.06	11.06	13.82	—	47.00	8.30 ~ 48.20
	11.41	11.41	11.41	14.26	—	48.50	6.70 ~ 58.00
12+12+12+18	10.44	10.44	10.44	15.67	—	47.00	8.30 ~ 48.20
	10.78	10.78	10.78	16.17	—	48.50	6.70 ~ 58.00
12+12+15+15	10.44	10.44	13.06	13.06	—	47.00	8.20 ~ 48.20
	10.78	10.78	13.47	13.47	—	48.50	6.80 ~ 58.00
12+12+15+18	9.89	9.89	12.37	14.84	—	47.00	8.20 ~ 48.20
	10.21	10.21	12.76	15.32	—	48.50	6.80 ~ 58.00
12+15+15+15	9.89	12.37	12.37	12.37	—	47.00	7.80 ~ 48.20
	10.21	12.76	12.76	12.76	—	48.50	6.80 ~ 58.00
07+07+07+07+07	7.00	7.00	7.00	7.00	7.00	35.00	8.30 ~ 39.60
	7.12	7.12	7.12	7.12	7.12	35.60	6.70 ~ 53.50
07+07+07+07+09	7.00	7.00	7.00	7.00	9.00	37.00	8.30 ~ 41.40
	7.11	7.11	7.11	7.11	9.15	37.60	6.70 ~ 54.80
07+07+07+07+12	7.00	7.00	7.00	7.00	12.00	40.00	8.30 ~ 43.90
	7.11	7.11	7.11	7.11	12.18	40.60	6.70 ~ 55.70
07+07+07+07+15	7.00	7.00	7.00	7.00	15.00	43.00	8.20 ~ 46.50
	7.08	7.08	7.08	7.08	15.17	43.50	6.70 ~ 56.50
07+07+07+07+18	7.00	7.00	7.00	7.00	18.00	46.00	8.20 ~ 48.20
	7.08	7.08	7.08	7.08	18.20	46.50	6.70 ~ 57.40
07+07+07+07+24	6.33	6.33	6.33	6.33	21.69	47.00	8.10 ~ 48.20
	6.53	6.53	6.53	6.53	22.38	48.50	6.80 ~ 58.00
07+07+07+09+09	7.00	7.00	7.00	9.00	9.00	39.00	8.30 ~ 43.10
	7.11	7.11	7.11	9.14	9.14	39.60	6.70 ~ 55.40
07+07+07+09+12	7.00	7.00	7.00	9.00	12.00	42.00	8.30 ~ 45.60
	7.10	7.10	7.10	9.13	12.17	42.60	6.70 ~ 56.30
07+07+07+09+15	7.00	7.00	7.00	9.00	15.00	45.00	8.20 ~ 48.20
	7.08	7.08	7.08	9.10	15.17	45.50	6.80 ~ 57.10
07+07+07+09+18	6.85	6.85	6.85	8.81	17.63	47.00	8.20 ~ 48.20
	7.07	7.07	7.07	9.09	18.19	48.50	6.80 ~ 58.00
07+07+07+09+24	6.09	6.09	6.09	7.83	20.89	47.00	8.10 ~ 48.20
	6.29	6.29	6.29	8.08	21.56	48.50	6.80 ~ 58.00
07+07+07+12+12	7.00	7.00	7.00	12.00	12.00	45.00	8.30 ~ 48.20
	7.08	7.08	7.08	12.13	12.13	45.50	6.70 ~ 57.10
07+07+07+12+15	6.85	6.85	6.85	11.75	14.69	47.00	8.20 ~ 48.20
	7.07	7.07	7.07	12.13	15.16	48.50	6.80 ~ 58.00
07+07+07+12+18	6.45	6.45	6.45	11.06	16.59	47.00	8.20 ~ 48.20
	6.66	6.66	6.66	11.41	17.12	48.50	6.80 ~ 58.00
07+07+07+12+24	5.77	5.77	5.77	9.89	19.79	47.00	8.10 ~ 48.20
	5.96	5.96	5.96	10.21	20.42	48.50	6.80 ~ 58.00
07+07+07+15+15	6.45	6.45	6.45	13.82	13.82	47.00	7.90 ~ 48.20
	6.66	6.66	6.66	14.26	14.26	48.50	6.80 ~ 58.00
07+07+07+15+18	6.09	6.09	6.09	13.06	15.67	47.00	7.90 ~ 48.20
	6.29	6.29	6.29	13.47	16.17	48.50	6.80 ~ 58.00
07+07+07+18+18	5.77	5.77	5.77	14.84	14.84	47.00	7.90 ~ 48.20
	5.96	5.96	5.96	15.32	15.32	48.50	6.80 ~ 58.00
07+07+09+09+09	7.00	7.00	9.00	9.00	9.00	41.00	8.30 ~ 44.80
	7.10	7.10	9.13	9.13	9.13	41.60	6.70 ~ 56.00
07+07+09+09+12	7.00	7.00	9.00	9.00	12.00	44.00	8.30 ~ 47.30
	7.08	7.08	9.10	9.10	12.14	44.50	6.70 ~ 56.80
07+07+09+09+15	7.00	7.00	9.00	9.00	15.00	47.00	8.20 ~ 48.20
	7.07	7.07	9.10	9.10	15.16	47.50	6.80 ~ 57.70
07+07+09+09+18	6.58	6.58	8.46	8.46	16.92	47.00	8.20 ~ 48.20
	6.79	6.79	8.73	8.73	17.46	48.50	6.80 ~ 58.00
07+07+09+09+24	5.88	5.88	7.55	7.55	20.14	47.00	8.10 ~ 48.20
	6.06	6.06	7.79	7.79	20.79	48.50	6.80 ~ 58.00
07+07+09+12+12	7.00	7.00	9.00	12.00	12.00	47.00	8.30 ~ 48.20
	7.07	7.07	9.10	12.13	12.13	47.50	6.70 ~ 57.70

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					Heating Capacity of each indoor unit	
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
07+07+09+12+15	6.58	6.58	8.46	11.28	14.10	47.00	8.20 ~ 48.20
	6.79	6.79	8.73	11.64	14.55	48.50	6.80 ~ 58.00
07+07+09+12+18	6.21	6.21	7.98	10.64	15.96	47.00	8.20 ~ 48.20
	6.41	6.41	8.24	10.98	16.47	48.50	6.80 ~ 58.00
07+07+09+15+15	6.21	6.21	7.98	13.30	13.30	47.00	7.90 ~ 48.20
	6.41	6.41	8.24	13.73	13.73	48.50	6.80 ~ 58.00
07+07+09+15+18	5.88	5.88	7.55	12.59	15.11	47.00	7.90 ~ 48.20
	6.06	6.06	7.79	12.99	15.59	48.50	6.80 ~ 58.00
07+07+12+12+12	6.58	6.58	11.28	11.28	11.28	47.00	8.30 ~ 48.20
	6.79	6.79	11.64	11.64	11.64	48.50	6.70 ~ 58.00
07+07+12+12+15	6.21	6.21	10.64	10.64	13.30	47.00	8.20 ~ 48.20
	6.41	6.41	10.98	10.98	13.73	48.50	6.80 ~ 58.00
07+07+12+12+18	5.88	5.88	10.07	10.07	15.11	47.00	8.20 ~ 48.20
	6.06	6.06	10.39	10.39	15.59	48.50	6.80 ~ 58.00
07+07+12+15+15	5.88	5.88	10.07	12.59	12.59	47.00	7.90 ~ 48.20
	6.06	6.06	10.39	12.99	12.99	48.50	6.80 ~ 58.00
07+09+09+09+09	7.00	9.00	9.00	9.00	9.00	43.00	8.30 ~ 46.50
	7.08	9.10	9.10	9.10	9.10	43.50	6.70 ~ 56.50
07+09+09+09+12	7.00	9.00	9.00	9.00	12.00	46.00	8.30 ~ 48.20
	7.08	9.10	9.10	9.10	12.13	46.50	6.70 ~ 57.40
07+09+09+09+15	6.71	8.63	8.63	8.63	14.39	47.00	8.20 ~ 48.20
	6.93	8.91	8.91	8.91	14.85	48.50	6.80 ~ 58.00
07+09+09+09+18	6.33	8.13	8.13	8.13	16.27	47.00	8.20 ~ 48.20
	6.53	8.39	8.39	8.39	16.79	48.50	6.80 ~ 58.00
07+09+09+09+24	5.67	7.29	7.29	7.29	19.45	47.00	8.10 ~ 48.20
	5.85	7.53	7.53	7.53	20.07	48.50	6.80 ~ 58.00
07+09+09+12+12	6.71	8.63	8.63	11.51	11.51	47.00	8.30 ~ 48.20
	6.93	8.91	8.91	11.88	11.88	48.50	6.70 ~ 58.00
07+09+09+12+15	6.33	8.13	8.13	10.85	13.56	47.00	8.20 ~ 48.20
	6.53	8.39	8.39	11.19	13.99	48.50	6.80 ~ 58.00
07+09+09+12+18	5.98	7.69	7.69	10.25	15.38	47.00	8.20 ~ 48.20
	6.17	7.94	7.94	10.58	15.87	48.50	6.80 ~ 58.00
07+09+09+15+15	5.98	7.69	7.69	12.82	12.82	47.00	7.90 ~ 48.20
	6.17	7.94	7.94	13.23	13.23	48.50	6.80 ~ 58.00
07+09+09+15+18	5.67	7.29	7.29	12.16	14.59	47.00	7.80 ~ 48.20
	5.85	7.53	7.53	12.54	15.05	48.50	6.80 ~ 58.00
07+09+12+12+12	6.33	8.13	10.85	10.85	10.85	47.00	8.30 ~ 48.20
	6.53	8.39	11.19	11.19	11.19	48.50	6.70 ~ 58.00
07+09+12+12+15	5.98	7.69	10.25	10.25	12.82	47.00	8.10 ~ 48.20
	6.17	7.94	10.58	10.58	13.23	48.50	6.80 ~ 58.00
07+09+12+12+18	5.67	7.29	9.72	9.72	14.59	47.00	8.10 ~ 48.20
	5.85	7.53	10.03	10.03	15.05	48.50	6.80 ~ 58.00
07+09+12+15+15	5.67	7.29	9.72	12.16	12.16	47.00	7.80 ~ 48.20
	5.85	7.53	10.03	12.54	12.54	48.50	6.80 ~ 58.00
07+12+12+12+12	5.98	10.25	10.25	10.25	10.25	47.00	8.30 ~ 48.20
	6.17	10.58	10.58	10.58	10.58	48.50	6.70 ~ 58.00
07+12+12+12+15	5.67	9.72	9.72	9.72	12.16	47.00	8.10 ~ 48.20
	5.85	10.03	10.03	10.03	12.54	48.50	6.80 ~ 58.00
09+09+09+09+09	9.00	9.00	9.00	9.00	9.00	45.00	8.30 ~ 48.20
	9.10	9.10	9.10	9.10	9.10	45.50	6.70 ~ 57.10
09+09+09+09+12	8.81	8.81	8.81	8.81	11.75	47.00	8.30 ~ 48.20
	9.09	9.09	9.09	9.09	12.13	48.50	6.70 ~ 58.00
09+09+09+09+15	8.29	8.29	8.29	8.29	13.82	47.00	8.20 ~ 48.20
	8.56	8.56	8.56	8.56	14.26	48.50	6.80 ~ 58.00
09+09+09+09+18	7.83	7.83	7.83	7.83	15.67	47.00	8.20 ~ 48.20
	8.08	8.08	8.08	8.08	16.17	48.50	6.80 ~ 58.00
09+09+09+12+12	8.29	8.29	8.29	11.06	11.06	47.00	8.30 ~ 48.20
	8.56	8.56	8.56	11.41	11.41	48.50	6.70 ~ 58.00
09+09+09+12+15	7.83	7.83	7.83	10.44	13.06	47.00	8.10 ~ 48.20
	8.08	8.08	8.08	10.78	13.47	48.50	6.80 ~ 58.00
09+09+09+12+18	7.42	7.42	7.42	9.89	14.84	47.00	8.10 ~ 48.20
	7.66	7.66	7.66	10.21	15.32	48.50	6.80 ~ 58.00
09+09+09+15+15	7.42	7.42	7.42	12.37	12.37	47.00	7.80 ~ 48.20
	7.66	7.66	7.66	12.76	12.76	48.50	6.80 ~ 58.00
09+09+12+12+12	7.83	7.83	10.44	10.44	10.44	47.00	8.30 ~ 48.20
	8.08	8.08	10.78	10.78	10.78	48.50	6.70 ~ 58.00
09+09+12+12+15	7.42	7.42	9.89	9.89	12.37	47.00	8.10 ~ 48.20
	7.66	7.66	10.21	10.21	12.76	48.50	6.80 ~ 58.00
09+12+12+12+12	7.42	9.89	9.89	9.89	9.89	47.00	8.30 ~ 48.20
	7.66	10.21	10.21	10.21	10.21	48.50	6.80 ~ 58.00

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)



Ducted, 60 Hz, 208-230V

Combination of indoor unit	Cooling Capacity of each indoor unit						
	Heating Capacity of each indoor unit						
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
09	9.00	—	—	—	—	9.00	3.30 ~ 11.00
	11.50	—	—	—	—	11.50	3.40 ~ 17.30
12	12.00	—	—	—	—	12.00	4.20 ~ 14.00
	15.30	—	—	—	—	15.30	3.50 ~ 23.10
15	15.00	—	—	—	—	15.00	4.80 ~ 17.50
	19.20	—	—	—	—	19.20	3.60 ~ 28.80
18	18.00	—	—	—	—	18.00	4.80 ~ 21.00
	23.00	—	—	—	—	23.00	3.60 ~ 34.60
24	24.00	—	—	—	—	24.00	6.00 ~ 26.70
	27.40	—	—	—	—	27.40	4.80 ~ 39.90
09+09	9.00	9.00	—	—	—	18.00	4.90 ~ 21.00
	11.50	11.50	—	—	—	23.00	3.60 ~ 34.60
09+12	9.00	12.00	—	—	—	21.00	5.00 ~ 23.80
	10.80	14.40	—	—	—	25.20	3.60 ~ 37.30
09+15	9.00	15.00	—	—	—	24.00	7.70 ~ 26.70
	10.28	17.13	—	—	—	27.40	6.50 ~ 39.90
09+18	9.00	18.00	—	—	—	27.00	7.80 ~ 29.50
	9.83	19.67	—	—	—	29.50	6.50 ~ 42.60
09+24	9.00	24.00	—	—	—	33.00	7.90 ~ 35.20
	9.25	24.65	—	—	—	33.90	6.50 ~ 47.90
12+12	12.00	12.00	—	—	—	24.00	6.00 ~ 26.70
	13.70	13.70	—	—	—	27.40	4.80 ~ 39.90
12+15	12.00	15.00	—	—	—	27.00	7.80 ~ 29.50
	13.11	16.39	—	—	—	29.50	6.50 ~ 42.60
12+18	12.00	18.00	—	—	—	30.00	7.80 ~ 32.40
	12.68	19.02	—	—	—	31.70	6.50 ~ 45.20
12+24	12.00	24.00	—	—	—	36.00	8.00 ~ 38.40
	12.20	24.40	—	—	—	36.60	6.50 ~ 50.50
15+15	15.00	15.00	—	—	—	30.00	8.10 ~ 32.40
	15.85	15.85	—	—	—	31.70	6.50 ~ 45.20
15+18	15.00	18.00	—	—	—	33.00	8.10 ~ 35.20
	15.41	18.49	—	—	—	33.90	6.60 ~ 47.90
15+24	15.00	24.00	—	—	—	39.00	8.20 ~ 41.70
	15.04	24.06	—	—	—	39.10	6.60 ~ 51.70
18+18	18.00	18.00	—	—	—	36.00	8.10 ~ 38.40
	18.30	18.30	—	—	—	36.60	6.60 ~ 50.50
18+24	18.00	24.00	—	—	—	42.00	8.20 ~ 44.90
	17.83	23.77	—	—	—	41.60	6.60 ~ 52.80
24+24	23.00	23.00	—	—	—	46.00	8.30 ~ 46.00
	23.25	23.25	—	—	—	46.50	6.60 ~ 54.00
09+09+09	9.00	9.00	9.00	—	—	27.00	7.90 ~ 29.50
	9.83	9.83	9.83	—	—	29.50	6.50 ~ 42.60
09+09+12	9.00	9.00	12.00	—	—	30.00	7.90 ~ 32.40
	9.51	9.51	12.68	—	—	31.70	6.50 ~ 45.20
09+09+15	9.00	9.00	15.00	—	—	33.00	8.10 ~ 35.20
	9.25	9.25	15.41	—	—	33.90	6.60 ~ 47.90
09+09+18	9.00	9.00	18.00	—	—	36.00	8.20 ~ 38.40
	9.15	9.15	18.30	—	—	36.60	6.60 ~ 50.50
09+09+24	9.00	9.00	24.00	—	—	42.00	8.20 ~ 44.90
	8.91	8.91	23.77	—	—	41.60	6.60 ~ 52.80
09+12+12	9.00	12.00	12.00	—	—	33.00	7.90 ~ 35.20
	9.25	12.33	12.33	—	—	33.90	6.50 ~ 47.90
09+12+15	9.00	12.00	15.00	—	—	36.00	8.10 ~ 38.40
	9.15	12.20	15.25	—	—	36.60	6.60 ~ 50.50
09+12+18	9.00	12.00	18.00	—	—	39.00	8.20 ~ 41.70
	9.02	12.03	18.05	—	—	39.10	6.60 ~ 51.70
09+12+24	9.00	12.00	24.00	—	—	45.00	8.20 ~ 46.00
	8.80	11.73	23.47	—	—	44.00	6.60 ~ 54.00
09+15+15	9.00	15.00	15.00	—	—	39.00	8.30 ~ 41.70
	9.02	15.04	15.04	—	—	39.10	6.60 ~ 51.70
09+15+18	9.00	15.00	18.00	—	—	42.00	8.30 ~ 44.90
	8.91	14.86	17.83	—	—	41.60	6.60 ~ 52.80
09+15+24	8.63	14.38	23.00	—	—	46.00	8.30 ~ 46.00
	8.72	14.53	23.25	—	—	46.50	6.70 ~ 54.00
09+18+18	9.00	18.00	18.00	—	—	45.00	8.30 ~ 46.00
	8.80	17.60	17.60	—	—	44.00	6.70 ~ 54.00

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit						
	Heating Capacity of each indoor unit						
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
09+18+24	8.12	16.24	21.65	—	—	46.00	8.30 ~ 46.00
	8.21	16.41	21.88	—	—	46.50	6.70 ~ 54.00
09+24+24	7.26	19.37	19.37	—	—	46.00	8.30 ~ 46.00
	7.34	19.58	19.58	—	—	46.50	6.70 ~ 54.00
12+12+12	12.00	12.00	12.00	—	—	36.00	7.90 ~ 38.40
	12.20	12.20	12.20	—	—	36.60	6.50 ~ 50.50
12+12+15	12.00	12.00	15.00	—	—	39.00	8.20 ~ 41.70
	12.03	12.03	15.04	—	—	39.10	6.60 ~ 51.70
12+12+18	12.00	12.00	18.00	—	—	42.00	8.20 ~ 44.90
	11.89	11.89	17.83	—	—	41.60	6.60 ~ 52.80
12+12+24	11.50	11.50	23.00	—	—	46.00	8.30 ~ 46.00
	11.63	11.63	23.25	—	—	46.50	6.60 ~ 54.00
12+15+15	12.00	15.00	15.00	—	—	42.00	8.30 ~ 44.90
	11.89	14.86	14.86	—	—	41.60	6.60 ~ 52.80
12+15+18	12.00	15.00	18.00	—	—	45.00	8.30 ~ 46.00
	11.73	14.67	17.60	—	—	44.00	6.70 ~ 54.00
12+15+24	10.82	13.53	21.65	—	—	46.00	8.30 ~ 46.00
	10.94	13.68	21.88	—	—	46.50	6.70 ~ 54.00
12+18+18	11.50	17.25	17.25	—	—	46.00	8.30 ~ 46.00
	11.63	17.44	17.44	—	—	46.50	6.70 ~ 54.00
12+18+24	10.22	15.33	20.44	—	—	46.00	8.30 ~ 46.00
	10.33	15.50	20.67	—	—	46.50	6.70 ~ 54.00
15+15+15	15.00	15.00	15.00	—	—	45.00	8.30 ~ 46.00
	14.67	14.67	14.67	—	—	44.00	6.70 ~ 54.00
15+15+18	14.38	14.38	17.25	—	—	46.00	8.30 ~ 46.00
	14.53	14.53	17.44	—	—	46.50	6.70 ~ 54.00
15+15+24	12.78	12.78	20.44	—	—	46.00	8.30 ~ 46.00
	12.92	12.92	20.67	—	—	46.50	6.70 ~ 54.00
15+18+18	13.53	16.24	16.24	—	—	46.00	8.30 ~ 46.00
	13.68	16.41	16.41	—	—	46.50	6.70 ~ 54.00
15+18+24	12.11	14.53	19.37	—	—	46.00	8.30 ~ 46.00
	12.24	14.68	19.58	—	—	46.50	6.70 ~ 54.00
18+18+18	15.33	15.33	15.33	—	—	46.00	8.30 ~ 46.00
	15.50	15.50	15.50	—	—	46.50	6.70 ~ 54.00
09+09+09+09	9.00	9.00	9.00	9.00	—	36.00	8.20 ~ 38.40
	9.15	9.15	9.15	9.15	—	36.60	6.60 ~ 50.50
09+09+09+12	9.00	9.00	9.00	12.00	—	39.00	8.20 ~ 41.70
	9.02	9.02	9.02	12.03	—	39.10	6.60 ~ 51.70
09+09+09+15	9.00	9.00	9.00	15.00	—	42.00	8.30 ~ 44.90
	8.91	8.91	8.91	14.86	—	41.60	6.70 ~ 52.80
09+09+09+18	9.00	9.00	9.00	18.00	—	45.00	8.30 ~ 46.00
	8.80	8.80	8.80	17.60	—	44.00	6.70 ~ 54.00
09+09+09+24	8.12	8.12	8.12	21.65	—	46.00	8.30 ~ 46.00
	8.21	8.21	8.21	21.88	—	46.50	6.70 ~ 54.00
09+09+12+12	9.00	9.00	12.00	12.00	—	42.00	8.20 ~ 44.90
	8.91	8.91	11.89	11.89	—	41.60	6.60 ~ 52.80
09+09+12+15	9.00	9.00	12.00	15.00	—	45.00	8.30 ~ 46.00
	8.80	8.80	11.73	14.67	—	44.00	6.70 ~ 54.00
09+09+12+18	8.63	8.63	11.50	17.25	—	46.00	8.30 ~ 46.00
	8.72	8.72	11.63	17.44	—	46.50	6.70 ~ 54.00
09+09+12+24	7.67	7.67	10.22	20.44	—	46.00	8.30 ~ 46.00
	7.75	7.75	10.33	20.67	—	46.50	6.70 ~ 54.00
09+09+15+15	8.63	8.63	14.38	14.38	—	46.00	8.30 ~ 46.00
	8.72	8.72	14.53	14.53	—	46.50	6.70 ~ 54.00
09+09+15+18	8.12	8.12	13.53	16.24	—	46.00	8.30 ~ 46.00
	8.21	8.21	13.68	16.41	—	46.50	6.70 ~ 54.00
09+09+15+24	7.26	7.26	12.11	19.37	—	46.00	8.20 ~ 46.00
	7.34	7.34	12.24	19.58	—	46.50	6.70 ~ 54.00
09+09+18+18	7.67	7.67	15.33	15.33	—	46.00	8.30 ~ 46.00
	7.75	7.75	15.50	15.50	—	46.50	6.70 ~ 54.00
09+12+12+12	9.00	12.00	12.00	12.00	—	45.00	8.20 ~ 46.00
	8.80	11.73	11.73	11.73	—	44.00	6.60 ~ 54.00
09+12+12+15	8.63	11.50	11.50	14.38	—	46.00	8.30 ~ 46.00
	8.72	11.63	11.63	14.53	—	46.50	6.70 ~ 54.00
09+12+12+18	8.12	10.82	10.82	16.24	—	46.00	8.30 ~ 46.00
	8.21	10.94	10.94	16.41	—	46.50	6.70 ~ 54.00
09+12+12+24	7.26	9.68	9.68	19.37	—	46.00	8.30 ~ 46.00
	7.34	9.79	9.79	19.58	—	46.50	6.70 ~ 54.00
09+12+15+15	8.12	10.82	13.53	13.53	—	46.00	8.30 ~ 46.00
	8.21	10.94	13.68	13.68	—	46.50	6.70 ~ 54.00

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

5MXS48TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					Heating Capacity of each indoor unit	
	Each Capacity					Total Indoor Unit Capacity	
	A room	B room	C room	D room	E room	Rating	(min ~ max)
09+12+15+18	7.67	10.22	12.78	15.33	—	46.00	8.30 ~ 46.00
	7.75	10.33	12.92	15.50	—	46.50	6.70 ~ 54.00
09+12+18+18	7.26	9.68	14.53	14.53	—	46.00	8.30 ~ 46.00
	7.34	9.79	14.68	14.68	—	46.50	6.80 ~ 54.00
09+15+15+15	7.67	12.78	12.78	12.78	—	46.00	8.20 ~ 46.00
	7.75	12.92	12.92	12.92	—	46.50	6.70 ~ 54.00
09+15+15+18	7.26	12.11	12.11	14.53	—	46.00	8.20 ~ 46.00
	7.34	12.24	12.24	14.68	—	46.50	6.80 ~ 54.00
12+12+12+12	11.50	11.50	11.50	11.50	—	46.00	8.20 ~ 46.00
	11.63	11.63	11.63	11.63	—	46.50	6.60 ~ 54.00
12+12+12+15	10.82	10.82	10.82	13.53	—	46.00	8.30 ~ 46.00
	10.94	10.94	10.94	13.68	—	46.50	6.70 ~ 54.00
12+12+12+18	10.22	10.22	10.22	15.33	—	46.00	8.30 ~ 46.00
	10.33	10.33	10.33	15.50	—	46.50	6.70 ~ 54.00
12+12+15+15	10.22	10.22	12.78	12.78	—	46.00	8.30 ~ 46.00
	10.33	10.33	12.92	12.92	—	46.50	6.70 ~ 54.00
12+12+15+18	9.68	9.68	12.11	14.53	—	46.00	8.30 ~ 46.00
	9.79	9.79	12.24	14.68	—	46.50	6.70 ~ 54.00
12+15+15+15	9.68	12.11	12.11	12.11	—	46.00	8.20 ~ 46.00
	9.79	12.24	12.24	12.24	—	46.50	6.70 ~ 54.00
09+09+09+09+09	9.00	9.00	9.00	9.00	9.00	45.00	8.30 ~ 46.00
	8.80	8.80	8.80	8.80	8.80	44.00	6.70 ~ 54.00
09+09+09+09+12	8.63	8.63	8.63	8.63	11.50	46.00	8.30 ~ 46.00
	8.72	8.72	8.72	8.72	11.63	46.50	6.70 ~ 54.00
09+09+09+09+15	8.12	8.12	8.12	8.12	13.53	46.00	8.30 ~ 46.00
	8.21	8.21	8.21	8.21	13.68	46.50	6.70 ~ 54.00
09+09+09+09+18	7.67	7.67	7.67	7.67	15.33	46.00	8.30 ~ 46.00
	7.75	7.75	7.75	7.75	15.50	46.50	6.80 ~ 54.00
09+09+09+12+12	8.12	8.12	8.12	10.82	10.82	46.00	8.30 ~ 46.00
	8.21	8.21	8.21	10.94	10.94	46.50	6.70 ~ 54.00
09+09+09+12+15	7.67	7.67	7.67	10.22	12.78	46.00	8.30 ~ 46.00
	7.75	7.75	7.75	10.33	12.92	46.50	6.70 ~ 54.00
09+09+09+12+18	7.26	7.26	7.26	9.68	14.53	46.00	8.30 ~ 46.00
	7.34	7.34	7.34	9.79	14.68	46.50	6.80 ~ 54.00
09+09+09+15+15	7.26	7.26	7.26	12.11	12.11	46.00	8.10 ~ 46.00
	7.34	7.34	7.34	12.24	12.24	46.50	6.80 ~ 54.00
09+09+12+12+12	7.67	7.67	10.22	10.22	10.22	46.00	8.30 ~ 46.00
	7.75	7.75	10.33	10.33	10.33	46.50	6.70 ~ 54.00
09+09+12+12+15	7.26	7.26	9.68	9.68	12.11	46.00	8.30 ~ 46.00
	7.34	7.34	9.79	9.79	12.24	46.50	6.70 ~ 54.00
09+12+12+12+12	7.26	9.68	9.68	9.68	9.68	46.00	8.30 ~ 46.00
	7.34	9.79	9.79	9.79	9.79	46.50	6.70 ~ 54.00

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)